Plant Molecular Biology **21:** 1211–1219, 1993.

Contents of Volume 21

Vol. 21 No. 1 January (I) 1993

Research articles

Developmental and organ-specific changes in DNA-protein interactions in the tomato *rbcS3B* and *rbcS3C* promoter regions 1
P. Carrasco, T. Manzara, W. Gruissem

Transgene copy number can be positively or negatively associated with transgene expression 17
S. L. A. Hobbs, T. D. Warkentin, C. M. O. DeLong

Characterization and transcript analysis of the major phycobiliprotein subunit genes from *Aglaothamnion neglectum* (Rhodophyta) 27
K. E. Apt, A. R. Grossman

Molecular cloning and characterization of anther-preferential cDNA encoding a putative actin-depolymerizing factor 39
S.-R. Kim, Y. Kim, G. An

Organization, expression and nucleotide sequence of the operon encoding R-phycoerythrin α and β subunits from the red alga *Polysiphonia boldii* 47
M. K. Roell, D. E. Morse

cDNA cloning and expression of potato polyphenol oxidase 59
M. D. Hunt, N. T. Eannetta, H. Yu, S. M. Newman, J. C. Steffens

Developmental and organ-specific changes in DNA-protein interactions in the tomato *rbcS1, rbcS2* and *rbcS3A* promoter regions 69
T. Manzara, P. Carrasco, W. Gruissem

Genetically engineered resistance against grapevine chrome mosaic nepovirus 89
V. Brault, T. Candresse, O. le Gall, R. P. Delbos, M. Lanneau, J. Dunez

Large unidentified open reading frame in plastid DNA (ORF2280) is expressed in chloroplasts 99
R. E. Glick, B. B. Sears

Deletion analysis and localization of SbPRP1, a soybean cell wall protein gene, in roots of transgenic tobacco and cowpea 109
H. Suzuki, T. J. Fowler, M. L. Tierney

A 61 bp enhancer element of the tobacco β-1,3- glucanase B gene interacts with one or more regulated nuclear proteins 121
C. M. Hart, F. Nagy, F. Meins Jr.

Differential expression of U5snRNA gene variants in maize (*Zea mays*) protoplasts 133
D. Leader, S. Connelly, W. Filipowicz, R. Waugh, J. W. S. Brown

Variation of proline rich cell wall proteins in soybean lines with anthocyanin mutations 145
C. D. Nicholas, J. T. Lindstrom, L. O. Vodkin

Effects of gene dosage and sequence modification on the frequency and timing of transposition of the maize element *Activator (Ac)* in tobacco 159
J. Keller, J. D. G. Jones, E. Harper, E. Lim, F. Carland, E. J. Ralston, H. K. Dooner

Update Section

Precursor of the nuclear-encoded extrinsic 30 kDa protein in photosystem II of *Euglena gracilis* Z is not a polyprotein 171
I. Kuroda, J. Inagaki, Y. Yamamoto

Genetic inactivation of the *psaB* gene in *Synechocystis* sp. PCC 6803 disrupts assembly of photosystem I 177
L. B. Smart, L. McIntosh

Rapid identification of Triticeae genotypes from single seeds using the polymerase chain reaction 181
C. Benito, A. M. Figueiras, C. Zaragoza, F. J. Gallego, A. de la Peña

A β-ketoacyl-acyl carrier protein synthase III gene (*fabH*) is encoded on the chloroplast genome of the red alga *Porphyra umbilicalis* 185
M. Reith

Isolation and characterization of a rice cDNA similar to the bovine brain-specific 14-3-3 protein gene 191
S. Kidou, M. Umeda, A. Kato, H. Uchimiya

Cytoplasmic male sterility and fertility restoration in wheat are not associated with rearrangements of mitochondrial DNA in the gene regions for *cob, coxII,* or *coxI* 195
H. Rathburn, J. Song, C. Hedgcoth

List of reviewers 203

Volume 21 No. 2 January (II) 1993

Research articles

Efficient splicing of an AU-rich antisense intron sequence 205
C.G. Simpson and J.W.S. Brown

Structure and evolution of a highly repetitive DNA sequence from *Brassica napus* 213
X. Xia, G. Selvaraj and H. Bertrand

Genes of the R-phycocyanin II locus of marine *Synechococcus* spp., and comparison of protein-chromophore interactions in phycocyanins differing in bilin composition 225
R. de Lorimier, S.M. Wilbanks and A.N. Glazer

Gene structure and expression of rice seed allergenic proteins belonging to the α-amylase/trypsin inhibitor family 239
T. Adachi, H. Izumi, T. Yamada, K. Tanaka, S. Takeuchi, R. Nakamura and T. Matsuda

Functional analysis of the two homologous *psbA* gene copies in *Synechocystis* PCC 6714 and PCC 6803 249
A. Bouyoub, C. Vernotte and C. Astier

The *cis*-regulatory element CCACGTGG is involved in ABA and water-stress responses of the maize gene *rab* 28 259
M. Pla, J. Vilardell, M.J. Guiltinan, W.R. Marcotte, M.F. Niogret, R.S. Quatrano and M. Pagès

The gene and the RNA for the precursor to the plastid-located glycerol-3-phosphate acyltransferase of *Arabidopsis thaliana* 267
I. Nishida, Y. Tasaka, H. Shiraishi and N. Murata

Cloning and characterization of two cDNAs encoding casein kinase II catalytic subunits in *Arabidopsis thaliana* 279
T. Mizoguchi, K. Yamaguchi-Shinozaki, N. Hayashida, H. Kamada and K. Shinozaki

Characterization of a spinach gene responsive to low temperature and water stress 289
L.G. Neven, D.W. Haskell, A. Hofig, Q.-B. Li, C.L. Guy

Expression of multiple type 1 phosphoprotein phosphatases in *Arabidopsis thaliana* 307
R.D. Smith and J.C. Walker

The disappearance of an hsc70 species in mung bean seed during germination: purification and characterization of the protein 317
C. Wang and B.-L. Lin

Plant aldolase: cDNA and deduced amino-acid sequences of the chloroplast and cytosol enzyme from spinach 331
B. Pelzer-Reith, A. Penger and C. Schnarrenberger

Induction of a tomato anionic peroxidase gene (*tap1*) by wounding in transgenic tobacco and activation of *tap1*/GUS and *tap2*/GUS chimeric gene fusions in transgenic tobacco by wounding and pathogen attack 339
R. Mohan, A.M. Bajar and P.E. Kolattukudy

A 168 bp derivative of *Suppressor-mutator/Enhancer* is responsible for the maize *o2-23* mutation 355
M.J. Aukerman and R.J. Schmidt

DNA amplification fingerprinting of the *Azolla-Anabaena* symbiosis 363
D.L. Eskew, G. Caetano-Anollés, B.J. Bassam and P.M. Gresshoff

Update Section

Identification of two alfalfa early nodulin genes with homology to members of the pea *Enod12* gene family 375
L.A. Allison, G.B. Kiss, P. Bauer, M. Poiret, M. Pierre, A. Savouré, E. Kondorosi and A. Kondorosi

Nucleotide sequence of the potato rDNA intergenic spacer 381
N. Borisjuk and V. Hemleben

Isolation of putative defense-related genes from *Arabidopsis thaliana* and expression in fungal elicitor-treated cells 385
G.F. Trezzini, A. Horrichs and I.E. Somssich

Nucleotide sequence and style-specific expression of a novel proline-rich protein gene from *Nicotiana alata* 391
C.-G. Chen, S.-L. Mau and A.E. Clarke

Structure of the cDNA coding for conglutin γ, a sulphur-rich protein from *Lupinus angustifolius* 397
S. Kolivas and K.R. Gayler

Localization of tRNA genes on the *Petunia hybrida* 3704 mitochondrial genome 403
F. Weber-Lotfi, L. Maréchal-Drouard, O. Folkerts, M. Hanson and J.M. Grienenberger

Nucleotide sequence and homology comparison of two genes of the sulfate transport operon from the cyanobacterium *Synechocystis* sp. PCC 6803 409
C. Kohn and J. Schumann

Errata 413

Volume 21 No. 3 February (I) 1993

Research articles

Activity of a chimeric promoter with the doubled CaMV 35S enhancer element in protoplast-derived cells and transgenic plants in maize 415
S. Omirulleh, M. Ábrahám, M. Golovkin, I. Stefanov, M. K. Karabaev, L. Mustárdy, S. Mórocz, D. Dudits

Treatment of *Agrobacterium* or leaf disks with 5-azacytidine increases transgene expression in tobacco 429
G. Palmgren, O. Mattson, F. T. Okkels

Cloning and characterization of avocado fruit mRNAs and their expression during ripening and low-temperature storage 437
B. Dopico, A. L. Lowe, I. D. Wilson, C. Merodio, D. Grierson

Analysis of regulatory elements involved in stress-induced and organ-specific expression of tobacco acidic and basic β-1,3-glucanase genes 451
M. D. van de Rhee, R. Lemmers, J. F. Bol

Characterization of a *Brassica napus* myrosinase pseudogene: myrosinases are members of the BGA family of β-glycosidases 463
M. Lenman, A. Falk, J. Xue, L. Rask

Protein phosphatases in higher plants: multiplicity of type 2A phosphatases in *Arabidopsis thaliana* 475
J. Ariño, E. Pérez-Callejón, N. Cunillera, M. Camps, F. Posas, A. Ferrer

***Sorghum* phosphoenolpyruvate carboxylase gene family: structure, function and molecular evolution** 487
L. Lepiniec, E. Keryer, H. Philippe, P. Gadal, C. Crétin

Sigma-like transcription factors from mustard (*Sinapis alba* L.) etioplast are similar in size to, but functionally distinct from, their chloroplast counterparts 503
K. Tiller, G. Link

Isolation and characterization of fruit vacuolar invertase genes from two tomato species and temporal differences in mRNA levels during fruit ripening 515
K. J. Elliott, W. O. Butler, C. D. Dickinson, Y. Konno, T. S. Vedvick, L. Fitzmaurice, T. E. Mirkov

Characterization of a cDNA clone encoding a chloroplast-targeted Clp homologue 525
T. Moore, K. Keegstra

Update section

Jasmonic acid-inducible gene expression of a Kunitz-type proteinase inhibitor in potato tuber disks 539
K. Yamagishi, C. Mitsumori, K. Takahashi, K. Fujino, Y. Koda, Y. Kikuta

Nucleotide sequence of maize chloroplast *rpl32*: completing the apparent set of plastid ribosomal protein genes and their tentative operon organization 543
W. Weglöhner, A. R. Subramanian

Occurrence of the chromoplast protein ChrA correlates with a fruit-color gene in *Capsicum annuum* 549
M. Oren-Shamir, N. Hadjeb, L. A. Newman, C. A. Price

Ferritin (mRNA, protein) and iron concentrations during soybean nodule development 555
M. Ragland, E. C. Theil

Expression of a phosphoenolpyruvate carboxylase promoter from *Mesembryanthemum crystallinum* is not salt-inducible in mature transgenic tobacco 561
J. C. Cushman, M. S. Meiners, H. J. Bohnert

A putative β-glucanase pseudogene behind the potato GBSS gene 567
F. R. van der Leij, E. C. A. Abeln, A. Hesseling-Meinders, W. J. Feenstra

Subunit III (Psa-F) of photosystem I reaction center of the C4 dicotyledon *Flaveria trinervia* 573
O. Lotan, M. Streubel, P. Westhoff, R. Nechushtai

Sequence announcements 579

Volume 21 No. 4 February (II) 1993

Research articles

Extracellular targeting of the vacuolar tobacco proteins AP24, chitinase and β-1,3-glucanase in transgenic plants 583
L. S. Melchers, M. B. Sela-Buurlage, S. A. Vloemans, C. P. Woloshuk, J. S. C. Van Roekel, J. Pen, P. J. M. van den Elzen and B. J. C. Cornelissen

cDNA sequence and expression of an intron-containing histone H2A gene from Norway spruce, *Picea abies* 595
A. Sundås, K. Tandre, A. Kvarnheden and P. Engström

Phylogenetic distribution and genetic mapping of a $(GGC)_n$ microsatellite from rice *(Oryza sativa* L.) 607
X. Zhao and G. Kochert

The salicyclic acid-inducible alternative oxidase gene *aox1* and genes encoding pathogenesis-related proteins share regions of sequence similarity in their promotors 615
D. M. Rhoads and L. McIntosh

A functional map of the fruit-specific promoter of the tomato 2A11 gene 625
M. J. J. Van Haaren and C. M. Houck

Differential expression of two related, low-temperature-induced genes in *Arabidopsis thaliana* (L.) Heynh. 641
K. Nordin, T. Vahala and E. Tapio Palva

Expression of a cysteine proteinase inhibitor (oryzacystatin-I) in transgenic tobacco plants 655
S. A. Masoud, L. B. Johnson, F. F. White and G. R. Reeck

Resistance to cymbidium ringspot tombusvirus infection in transgenic *Nicotiana benthamiana* plants expressing the virus coat protein gene 665
L. Rubino, G. Capriotti, R. Lupo and M. Russo

Polyubiquitin gene expression and structural properties of the *ubi4–2* gene in *Petroselinum crispum* 673
P. Kawalleck, I. E. Somssich, M. Feldbrügge, K. Hahlbrock and B. Weisshaar

Circadian expression and induction by wounding of tobacco genes for cysteine proteinase 685
H. J. M. Linthorst, C. van der Does, F. Th. Brederode and J. F. Bol

Update section

Two cDNAs from *Arabidopsis thaliana* encode putative RNA binding proteins containing glycine-rich domains 695
S. van Nocker and R. D. Vierstra

cDNA nucleotide sequence and expression of a maize cytoplasmic ribosomal protein S13 gene 701
P. Joanin, C. Gigot and G. Philipps

Transgenic tobacco plants regenerated from leaf disks can be periclinal chimeras 705
T. Schmülling and J. Schell

Molecular cloning and characterization of a legumin-like storage protein cDNA of Douglas fir seeds 709
I. Leal and S. Misra

Nucleotide sequence and characterization of a cDNA encoding the acetohydroxy acid isomeroreductase from *Arabidopsis thaliana* 717
G. Curien, R. Dumas and R. Douce

Supported PCR: an efficient procedure to amplify sequences flanking a known DNA segment 723
G. N. Rudenko, C. M. T. Rommens, H. J. J. Nijkamp and J. Hille

Expression of an ABA-responsive osmotin-like gene during the induction of freezing tolerance in *Solanum commersonii* 729
B. Zhu, T. H. H. Chen and P. H. Li

Sequence announcements 737

Volume 21 No. 5 March (I) 1993

Research articles

Isolation and characterization of a cDNA encoding NADP+-specific isocitrate dehydrogenase from soybean (*Glycine max*) 739
M.K. Udvardi, T.R. McDermott, M.L. Kahn

The Rubisco activase (*rca*) gene is located downstream from *rbcS* in *Anabaena* sp. strain CA and is detected in other *Anabaena/Nostoc* strains 753
L.-A. Li, J.L. Gibson, F.R. Tabita

Sequence analysis of 22 kDa-like α-coixin genes and their comparison with homologous zein and kafirin genes reveals highly conserved protein structure and regulatory elements 765
L.M.M. Ottoboni, A. Leite, J.A. Yunes, M.L.P.N. Targon, G.A. de Souza Filho, P. Arruda

Secondary structure and phylogeny of the chloroplast 23S rRNA gene from the brown alga *Pylaiella littoralis* 779
C.C. Somerville, S. Jouannic, W.F. Martin, B. Kloareg, S. Loiseaux-de Goër

Organization of the genes encoding chalcone synthase in *Pisum sativum* 789
C. An, Y. Ichinose, T. Yamada, Y. Tanaka, T. Shiraishi, H. Oku

DNaseI-sensitive and undermethylated rDNA is preferentially expressed in a maize hybrid 805
E.R. Jupe, E.A. Zimmer

Transient gene expression of foreign genes in preheated protoplasts: stimulation of expression of transfected genes lacking heat shock elements 823
N. Zakai, N. Ballas, M. Hershkovitz, S. Broido, R. Ram, A. Loyter

Isolation and characterization of the genes encoding allophycocyanin subunits and two linker proteins from *Synechocystis* 6714 835
L. DiMagno, R. Haselkorn

Pulsed-field gel electrophoresis analysis of higher-order chromatin structures of *Zea mays*. Highly methylated DNA in the 50 kb chromatin structure 847
M.L. Espinás, M. Carballo

Isolation and characterization of three families of auxin down-regulated cDNA clones 859
N. Datta, P.R. LaFayette, P.A. Kroner, R.T. Nagao, J.L. Key

Use of *bar* as a selectable marker gene and for the production of herbicide-resistant rice plants from protoplasts 871
K.S. Rathore, V.K. Chowdhury, T.K. Hodges

Molecular basis for extensin size heterogeneity in two maize varieties 885
J.M. Murphy, E.E. Hood

The intron of *Arabidopsis thaliana* polyubiquitin genes is conserved in location and is a quantitative determinant of chimeric gene expression 895
S.R. Norris, S.E. Meyer, J. Callis

Update section

Unusual sequence of group 3 LEA (II) mRNA inducible by dehydration stress in wheat 907
J. Curry, M.K. Walker-Simmons

Structure of a cyanobacterial gene encoding the 50S ribosomal protein L9 913
M.P. Malakhov, H. Wada, D.A. Los, T. Sakamoto, N. Murata

A large DNA repeat of the dispersion pattern common to wheat and rye genomes 919
B. Szurmak, M. Dobrzanska

Molecular characterization of salt-stress-associated protein in citrus: protein and cDNA sequence homology to mammalian glutathione peroxidases 923
D. Holland, G. Ben-Hayyim, Z. Faltin, L. Camoin, A.D. Strosberg, Y. Eshdat

Tissue-specific expression of a plant turgor-responsive gene with amino acid sequence homology to transport-facilitating proteins 929
F.D. Guerrero, L. Crossland

Semi-constitutive expression of an *Arabidopsis thaliana* α-tubulin gene 937
J.L. Carpenter, S.D. Kopczak, D.P. Snustad, C.D. Silflow

Post-transcriptional transfer of γ-thio affinity label to RNA in isolated parsley nuclei 943
P. Schweizer, K. Hahlbrock

Sequence announcement 953

Volume 21 No. 6 March 1993

News and views v

Research articles

Identification and characterization of a second plasma membrane H^+-ATPase gene subfamily in *Nicotiana plumbaginifolia* 955
L. Moriau, P. Bogaerts, J.-L. Jonniaux and M. Boutry

Proteins encoded by an auxin-regulated gene family of tobacco share limited but significant homology with glutathione *S*-transferases and one member indeed shows *in vitro* GST activity 965
F. N. J. Droog, P. J. J. Hooykaas, K. R. Libbenga, E. J. van der Zaal

***Cis*-acting regulatory regions of the soybean seed storage 11S globulin gene and their interactions with seed embryo factors** 973
Y. Tio, Y. Kitamura, M. Arahira, C. Fukazawa

Tobacco proteinase inhibitor I genes are locally, but not systemically induced by stress 985
H. J. M. Linthorst, F. Th. Brederode, C. van der Does, J. F. Bol

Isolation and characterization of a soybean cDNA clone encoding the plastid form of aspartate aminotransferase 993
G. J. Wadsworth, S. M. Marmaras, B. F. Matthews

Levels and location of expression of the *Agrobacterium tumefaciens* pTiA6 *ipt* gene promoter in transgenic tobacco 1011
T. J. Strabala, D. N. Crowell, R. M. Amasino

Sequence analysis of pre-ferredoxin-$NADP^+$-reductase cDNA from *Cyanophora paradoxa* specifying a precursor for a nucleus-encoded cyanelle polypeptide 1023
J. Jakowitsch, M. G. Bayer, T. L. Maier, A. Lüttke, U. B. Gebhart, M. Brandtner, B. Hamilton, C. Neumann-Spallart, C. B. Michalowski, H. J. Bohnert, H. E. A. Schenk, W. Löffelhardt

Organisation of the tomato polyphenol oxidase gene family 1035
S. M. Newman, N. T. Eannetta, H. Yu, J. P. Prince, M. Carmen de Vicente, S. D. Tanksley, J. C. Steffens

cDNA cloning of ECP40, an embryogenic-cell protein in carrot, and its expression during somatic and zygotic embryogenesis 1053
T. Kiyosue, K. Yamaguchi-Shinozaki, K. Shinozaki, H. Kamada, H. Harada

Co-transcription pattern of an introgressed operon in the maize chloroplast genome comprising four ATP synthase subunit genes and the ribosomal *rps2* 1069
D. J. Stahl, S. R. Rodermel, L. Bogorad, A. R. Subramanian

PCR-dependent amplification and sequence characterization of partial cDNAs encoding myosin-like proteins in *Anemia phyllitidis* (L.) Sw. and *Arabidopsis thaliana* (L.) Heynh. 1077
B. Moepps, S. Conrad, H. Schraudolf

Molecular cloning and expression of a Eucalyptus gunnii cDNA clone encoding cinnamyl alcohol dehydrogenase 1085
J. Grima-Pettenati, C. Feuillet, D. Goffner, G. Borderies, A. M. Boudet

A pathogen-induced gene of barley encodes a HSP90 homologue showing striking similarity to vertebrate forms resident in the endoplasmic reticulum 1097
H. Walther-Larsen, J. Brandt, D. B. Collinge, H. Thordal-Christensen

Transposition pattern of a midified *Ds* element in tomato 1109
C. M. T. Rommens, T. R. I. Munyikwa, B. Overduin

Enigmatic double-stranded RNA in Japonica rice 1121
T. Fukuhara, H. Moriyama, J. Y. Pak, H. Hyakutake, T. Nitta

The reconstruction and expression of a *Bacillus thuringiensis cryIIIA* gene in protoplasts and potato plants 1131
M. J. Adang, M. S. Brody, G. Cardineau, N. Eagan, R. T. Roush, C. K. Shewmaker, A. Jones, J. V. Oakes, K. E. McBride

Identification of protein-binding DNA sequences in an auxin- regulated gene of soybean 1147
R. T. Nagao, V. H. G. Jong Chan Hong, J. L. Key

Update section

RNA editing gives a new meaning to the genetic information in mitochondria and chloroplasts (*Mini-review*) 1163
D. Pring, A. Brennicke, W. Schuster

Structure and expression of the *S* locus-related genes of maize 1171
R. Zhang, J. C. Walker

Kinetic induction of oat shoot pulvinus invertase mRNA by gravistimulation and partial cDNA cloning by the polymerase chain reaction 1175
L.-L. Wu, I. Song, N. Karuppiah, P. B. Kaufman

DNA sequence and transcript analysis of transposon *MuA2*, a regulator of *Mutator* transposable element activity in maize 1181
M. G. James, M. J. Scanlon, M. Qin, D. S. Robertson, A. M. Myers

Stabilisation of a yeast artificial chromosome containing plant DNA using a recombination-deficient host 1187
R. Dunford, L. Vilageliu, G. Moore

In vivo* suppression of phytochrome aggregation by the GroE chaperonins in *Escherichia coli 1191
M. D. Edgerton, M. O. Santos, A. M. Jones

Sequence of a novel plant *ras*-related CDNA from *Pisum sativum* 1195
J. E. Drew, D. Bown, J. A. Gatehouse

Nitrite reductase gene from *Synechococcus* sp. PCC 7942: homology between cyanobacterial and higher-plant nitrite reductases 1201
I. Luque, E. Flores, A. Herrero

Instructions for Authors 1207

Contents of Volume 21 1211

Author Index 1221